HP PageWide XL 4500 **Printer series**



Do the work of two printers with one—faster and lower cost than LED¹



FASTER

Monochrome and color, faster than LED¹

- Move projects forward with up to 12 A1/D pgs/min monochrome and color, quick 30-second first page out
- Print, scan, copy in a single device integrated 1200 dpi scanner with advanced and convenient workflows
- Consolidate—a single, easy-to-use device for all your monochrome and color printing/scanning needs
- Focus on your project, not the printer up to 4 rolls with 100-page integrated top stacker

For more information, please visit hp.com/go/pagewidexl4500

SAVE

Better document quality vs LED, lower cost¹

- Run at lower costs than low-volume LED¹—in monochrome and color
- Produce excellent technical documents—crisp lines, fine detail, smooth grayscales that beat LED²
- HP PageWide XL pigment ink for dark blacks, vivid colors, moisture/fade resistance—even on uncoated bond³
- Use half the energy per page compared to equivalent LED printers⁴

SECURE

Help keep data safe, meet IT standards

- Get a range of strict security features self-encrypting HDD, Secure Disk Erase, IPSec, and PIN printing
- Reduce time and costs of managing individual drivers by using HP DesignJet Universal Print Driver
- Control your printer fleet with HP Web Jetadmin, monitor your device remotely with the HP Embedded Web Server
- Streamline your print workflow with HP SmartStream software, print easily with HP Click submission tool⁵





Dynamic security enabled printer. Cartridges using a non-HP chip might not work and those that work today might not work in the future. More at: hp.com/go/learnaboutsupplies

Note: HP PageWide XL printers are not designed to use continuous ink systems. HP PageWide XL printers are designed for ink cartridges to be used until they are empty. Refilling cartridges prior to depletion might cause the printer to fail, and voids the HP ink cartridge warranty.

⁵ Once image is selected, one-click printing when printing the entire file without any modifications to the print settings. Applicable to PDF, JPEG, TIFF, and HP-GL/2 files.

¹ Fastest based on alternative low-volume LED printers and MFPs (under 7 A1/D pages/minute) as of April, 2015. Operational costs based on low-volume LED technology under \$20,000 USD in the market as of April, 2015. Operational costs consist of supplies and service costs. For testing criteria, see <u>hp.com/go/pagewidexlclaims</u>

² For output produced with HP PageWide XL printers and LED printers from different manufacturers and that represent greater than 50% of the annual shipments of LED printers in North America as of 2014 according to IDC. For testing ³ Compared to prints produced with HP 970/971/980 inks that are fade and moisture resistant per ISO 11798 Permanence and Durability Methods certification. For testing criteria, see <u>hp.com/go/pagewidexlclaims</u>.

⁴ Conclusions based on internal HP testing for a specific use scenario. Comparable printers using LED technology based on LED printers capable of printing 4 to 6 A1/D pages per minute and which represent more than 80% of the share of mid-volume LED printers in the US and Europe according to IDC as of April, 2015. For testing criteria, see hp.com/go/pagewidexlclaims.

Elevate your on-the-job productivity. The HP PageWide XL 4500 Printer series consolidates monochrome and color printing, as well as print/scan/copy in a single device. Fast, quality document production keeps the focus on moving projects forward.







HP PageWide XL 4500 Printer series

- Boost your productivity
- Set a new quality standard for your technical documents
- Save space, reduce complexity
- Easy to use, easy to manage
- A better choice for the office—and the environment
- Select your file and click print

Boost your productivity

The HP PageWide XL 4500 Printer series is designed to boost your productivity, whether you're printing a large project or a short job.

- With no warm-up time and ultra-fast processing, the HP PageWide XL 4500 Printer series can finish printing most jobs by the time other devices are still getting ready to print the first page
- With a print speed up to 12 A1/D pages per minute in both monochrome and color, dealing with peaks and printing large projects is no longer a hassle

Set a new quality standard for your technical documents

HP 841 PageWide XL Printheads, working with HP PageWide XL pigment ink, are designed to produce high-quality output with dark blacks, neutral grays, and vivid colors that are moisture and fade resistant.³

Accurate and reliable dot placement results in crisp lines, fine detail, and smooth grayscales. HP PageWide XL printers do not apply heat to the paper as part of the printing process, enabling very high levels of line accuracy $(\pm 0.1\%)$.⁶

Save space, reduce complexity



The HP PageWide XL 4500 Printer series can do the job of two printers—faster and at lower operating costs than LED.¹ With a single device, you can save space and reduce complexity—you now have one less printer to manage on the network, and you no longer need to manage two sets of printing supplies.











Easy to use, easy to manage

The HP PageWide XL 4500 Printer series produces both monochrome and color in a single, easy-to-use device—with an MFP that can meet all your printing and scanning needs. The touchscreen interface enables simple, intuitive navigation and customization of print, scan, and copy functions. The status light provides at-a-glance status information from a distance. Replace ink or load new rolls simply and quickly. And run the printer unattended with four 400-ml HP ink cartridges and up to four 200-m (650-ft) long rolls.

A better choice for the office—and the environment

The HP PageWide XL 4500 Printer series integrates easily into the office, with typical ventilation.⁷ Both the printer and the MFP use a standard office plug for efficient energy consumption, and use half the energy per page compared to equivalent LED printers.⁸ Unlike LED technology, HP PageWide Technology operates without a fuser, generating reduced heat and noise—and produces no ozone.⁹ In addition, The HP PageWide XL 4500 Printer series has earned a number of leading environmental credentials including ENERGY STAR[®] certification and EPEAT registration.¹⁰

Select your file and click print

With just one click,⁵ you can print common file formats—like PDF, JPEG, TIFF, and HP-GL/2 from a PC or a Mac to the HP PageWide XL 4000/4500 Printer series. Produce a broad range of applications, from posters to drawings and maps with HP Click printing software. You can also optimize media usage and costs with features such as PDF error check, auto-orientation, resizing and alignment, and automatic nesting.

1. Up to 4 rolls—automatic roll switching when a roll is depleted or a different page size is selected

2.400-ml HP ink supplies

- **3.203-mm (8-inch) touchscreen** with status light that reports at-a-glance current status from a distance; detailed preview and scan, copy, print presets help prevent errors and enable effortless operation
- **4. Top stacker** designed to save space and allows the printer to be placed against a wall; capacity up to 100 pages
- **5. Integrated 1200 dpi scanner**—scan at speeds up to 7.62 cm/sec (3 in/sec) in color and 25.4 cm/sec (10 in/sec) in grayscale; scan to a variety of file formats and work with advanced and convenient workflows



Technical specifications

Description	Large-format color MFP or printer
Technology	HP PageWide Technology
Applications	Line drawings, Maps, Orthophotos, Posters
Ink types	Pigment-based (cyan, magenta, yellow, black)
Ink cartridges	4 (1 × 400-ml per color)
Printheads	8 x HP 841 PageWide XL Printheads
Average printhead life	32 liters
Printhead warranty	10 liters or 12 months from installation
Print resolution	1200 x 1200 dpi
Minimum line width	0.02 mm (0.0008 in) (HP-GL/2 addressable)
Guaranteed minimum line width	0.085 mm (0.0033 in) (ISO/IEC 13660:2001(E)) ¹¹
	±0.1% ⁶
A1/Arch D/ANSI D	7.3 m/min (23.8 ft/min) ¹² 12 pages/min
	No warm up
	30 sec (from Ready mode)
	2 rolls default with auto-switching, expandable to 4 rolls
	279 to 1016 mm (11 to 40 in)
	Up to 200 m (650 ft)
	Up to 177 mm (7 in)
	7.6 cm (3 in)
	Up to 1000 mm (39.4 in)
	Up to 200 m (650 ft) for CAD and 30 m (98 ft) for poster ¹³
	70 to 200 g/m² (19 to 53 lb)
	Up to 0.4 mm (15.7 mil)
	Bond and recycled papers, poster papers, polypropylene, Tyvek® papers, matte film
	Top stacker
	Online folders
	91-cm (36-in) CIS scanner
	Color: up to 7.62 cm/sec (3 in/sec) Grayscale: up to 25.4 cm/sec (10 in/sec)
· · · · · · · · · · · · · · · · · · ·	1200 dpi
Scan width	Up to 914 mm (36 in)
Original thickness	Up to 0.26 mm (0.01 in)
Maximum copy length	9512 mm (374.5 in)
Maximum scan length	8 m (708.7 in) (TIFF, 610-mm (24-in) wide original at 200 dpi), 8m (315 in) (JPEG), 5 m (196.9 in) (PDF)
Scan format	Standard: JPEG, TIFF Optional: PDF 1.4, multipage PDF 1.4 (with PS/PDF upgrade)
Scan features	Preview with cropping, scan quicksets, batch scanning
Scan destination	USB, network folder (SMB), scan to email and to HP SmartStream software
Processor	Intel Core i3
Memory	8 GB DDR3
Hard drive	1 x 500 GB HDD, self-encrypted with AES-256
Print languages (standard)	HP-GL/2, PCL 3 Win
	Adobe PostScript 3, Adobe PDF 1.7, TIFF, JPEG (with PS/PDF upgrade)
Print languages (optional)	
	HP Partner Link, HP Embedded Web Server, HP Web Jetadmin
Print languages (optional) Remote management Interfaces	HP Partner Link, HP Embedded Web Server, HP Web Jetadmin TCP/IP, BootP/DHCP, USB 2.0 host (certified)
Print languages (optional) Remote management	HP Partner Link, HP Embedded Web Server, HP Web Jetadmin
Print languages (optional) Remote management Interfaces	HP Partner Link, HP Embedded Web Server, HP Web Jetadmin TCP/IP, BootP/DHCP, USB 2.0 host (certified) HP SmartStream software (optional)
	Technology Applications Ink types Ink cartridges Printheads Average printhead life Printhead warranty Print resolution Minimum line width Guaranteed minimum line width Line accuracy Maximum print speed A1/Arch D/ANSI D (long edge first) Warm-up time First page out Media rolls Roll width Roll diameter Roll Core diameter Printable width Media thickness Media thickness Media tupes Media output (standard) Media output (standard) Media output (standard) Media output (standard) Optical resolution Scan width Original thickness Maximum copy Length Scan format Scan format Scan destination Processor Memory Hard drive

⁶ ±0.1% of the specifed vector length or ±0.2 mm (whichever greater) at 23°C (73°F), 50-60% relative humidity, on A0/E printing material in Best or Normal mode with HP Matte Polypropylene and HP PageWide XL pigment ink.
⁷ Special ventilation equipment (air filtration) is not required to meet U.S. OSHA requirements. Special ventilation equipment installation is at the discretion of the customer. The need for special ventilation is not anticipated. In case of doubt, customers should consult state and local requirements and regulations.

Conclusions based on internal HP testing for a specific use scenario. Comparable printers using LED technology based on LED printers capable of printing 4 to 6 A1/D pages per minute and which represent more than 80% of the share of mid-volume LED printers in the US and Europe according to IDC as of April, 2015. For testing criteria, see <u>hp.com/go/</u> pagewidex!claims.

Based on third-party testing conducted in 2014 and 2015, no ozone was detected. ¹⁰ EPEAT registered where applicable and/or supported. See <u>epeat.net</u> for registration status and rating by country.

¹¹ Measured on HP Universal Bond Paper.

¹² Measured using 91-cm (36-in) print width.

- For longer plots (up to 200 m (656 ft)), image quality might be affected.
 Only compatible in conjunction with the optional HP PageWide XL 4000/4500 Accessory Upgrade Kit.
- ¹⁵ Scanning functionality available with the HP PageWide XL 4500 Multifunction Printer only.

¹⁶ Printing to non-HP large format printers is done through specific drivers, each of them covering several printers: Océ Windows Printer Driver (WPD), KIP Windows Driver WHQL, RICOH PostScript Driver, Xerox WHQL Driver. For more information, please visit: <u>hp.com/go/smartstream/trial</u>.
¹⁷ BMG trademark license code FSC[®]-C115319, see fsc.org. HP trademark license code FSC[®]-C017543, see fsc.org. Not all FSC[®]-certified products are available in all regions. For information about HP large format printing materials, please visit

HPLFMedia.com

Can be recycled through commonly available recycling programs.

¹⁹ Program availability varies. Please check <u>hp.com/recycle</u> for details



Dimensions (w x d x h)	Printer	1960 x 800 x 1303 mm (77.2 x 31.5 x 51.3 in)
	MFP	1960 x 864 x 1303 mm (77.2 x 34 x 51.3 in) Depth: 800 + 64 mm (31.5 + 2.5 in) removable scanner input tray to pass through doorways
	Shipping	2180 x 1068 x 1764 mm (86.8 x 42.1 x 69.5 in)
Weight printer	Printer	415 kg (915 lb)
	Shipping	521 kg (1149 lb)
Weight MFP	MFP	430 kg (948 lb)
	Shipping	546 kg (1204 lb)
Environmental	Operating temperature	5 to 40°C (41 to 104°F)
	Recommended temperature	15 to 35°C (59 to 95°F)
	Operating humidity	20 to 80% RH, depending on media type
Acoustic	Sound pressure	≤53 dB(A) (printing), ≤36 dB(A) (ready), ≤24 dB(A) (sleep)
	Sound power	≤6.8 B(A) (printing), ≤5.2 B(A) (ready), ≤4.2 B(A) (sleep)
Power	Requirements	Input voltage (auto ranging) 100-127 / 200-240 V (±10%), 50/60 Hz (±3 Hz), 7/3.5 A
	Consumption	0.4 kW (typical); 1.2 kW (max printing); 108.4 watts (ready); < 1 watts (< 4.6 watts with embedded Digital Front End) (sleep)
Certification	Safety	IEC 60950-1+A1+A2 compliant; USA and Canada (CSA listed); EU (LVD and EN 60950-1 compliant); Russia, Belarus, and Kazakhstan (EAC)
	Electromagnetic	Compliant with Class A requirements, including: USA (FCC rules), Canada (ICES), EU (EMC Directive), Australia and New Zealand (RCM), Japan (VCCI), Korea (KC)
	Environmental	ENERGY STAR, EPEAT Silver, CE marking (including RoHS, WEEE, REACH); in compliance with WW RoHS materials restriction requirements in China, Korea, India, Vietnam, Turkey, Serbia, and Ukraine

90 days Warranty

Ordering information

	-	
Product	CZ312A	HP PageWide XL 4500 40-in Multifunction Printer
	CZ313A	HP PageWide XL 4500 40-in Printer
Accessories	G6H50B	HP SD Pro 44-in Scanner
	G6H51B	HP HD Pro 42-in Scanner
	CZ317A	HP PageWide XL PostScript/PDF Upgrade Kit
	CZ318A	HP PageWide XL Drawer
	1AT07B	HP PageWide XL 4000/4500 Accessory Upgrade Kit
	K5H75A	HP PageWide XL Folder ¹⁴
	L3M58A	HP PageWide XL Folder with Tab Applicator ¹⁴
	W9C05A	HP PageWide XL Folder with Scandinavian Tab Applicator ¹⁴
	M0V04A	HP PageWide XL Folder Upgrade Kit for Long Plots ¹⁴
	1EW99A	HP F60 Folder ¹⁴
	1EX00A	HP F60 Folder with Tab Applicator ¹⁴
	L3J69AAE	HP SmartStream Prefight Manager
	L3J71AAE	HP SmartStream Preflight Manager One-Year Subscription
	L3J76AAE	HP SmartStream Print Controller for HP PageWide XL 4000/4500
	T9B46AAE	HP SmartStream Print Controller for non-HP Large Format printers ¹⁶
Original HP	C1Q19A	HP 841 PageWide XL Printhead
PageWide XL printheads and consumables	F9J47A	HP 841 PageWide XL Cleaning Container
	F9J48A	HP 841 PageWide XL Maintenance Cartridge
Original HP PageWide XL ink cartridges	C1Q65A	HP 843C 400-ml Black PageWide XL Ink Cartridge
	C1Q66A	HP 843C 400-ml Cyan PageWide XL Ink Cartridge
	C1Q67A	HP 843C 400-ml Magenta PageWide XL Ink Cartridge
	C1Q68A	HP 843C 400-ml Yellow PageWide XL Ink Cartridge
		r. Cartridges using a non-HP chip might not work and those that work today might no m/go/learnaboutsupplies
Original HP large format	L4L08A	HP Universal Bond Paper, 3-in Core (FSC® certified) ¹⁷ 🛟 ¹⁸ 914 mm x 152.4 m (36 in x 500 ft)
printing materials	L5P98A	HP Production Matte Poster Paper, 3-in Core (FSC® certified) ¹⁷ 🛟 ¹⁸ 1016 mm x 91.4 m (40 in x 300 ft)
	L5Q03A	HP Production Satin Poster Paper, 3-in Core (FSC® certified) ¹⁷ 🛟 ¹⁸ 1016 mm x 91.4 m (40 in x 300 ft)
	L5C80A	HP Universal Heavyweight Coated Paper, 3-in Core (FSC® certified) ¹⁷ 🛟 ¹⁸ 914 mm x 91.4 m (36 in x 300 ft)
	L6B19A	HP Matte Polypropylene, 3-in Core 1016 mm x 45.7 m (40 in x 150 ft)
		1016 mm x 45.7 m (40 in x 150 ft)

Enjoy best-in-class support services, knowing HP works with HP PageWide XL Channel Partners to enable them to be properly trained, certified, and equipped to meet your needs. With efficient support and innovative support features, such as printer self-monitoring, predefined resolution paths, and intuitive maintenance wizards, you can work with confidence every day. For more information, please visit <u>hp.com/go/pagewidexlservice</u>.

HP Financial Services can help you acquire an HP PageWide XL printing solution and accelerate the benefits to your business. Our solutions can help you increase your flexibility by preserving cash, freeing up budgets with a monthly payment structure, and offering an easy option to upgrade to the latest model when your business is ready. For more information, please visit the Programs and Promotions section at hp.com/hpfinancialservices. Find the media solution that fits your business and your HP PageWide XL printer at hp.com/go/r

Eco Highlights

Adobe® PostScript® 3

- Save paper with automatic print settings and image nesting
- ENERGY STAR[®] certified and EPEAT Silver registered¹⁰
- Free, convenient HP ink cartridge recycling19
- FSC[®]-certified papers.¹⁷ range of recyclable HP media¹⁸
- Please recycle large-format printing hardware and printing supplies.

Find out how at our website hp.com/ecosolutions

Adobe PDF Print Engine

© Copyright 2015, 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmental Protection Agency.

Adobe, PostScript, and Adobe PostScript 3 are trademarks of Adobe Systems Incorporated. Intel and the Intel Inside logo are trademarks of Intel Corporation in the U.S. and other countries. Windows is a U.S. registered trademark of Microsoft Corporation. Mac and the Mac logo are trademarks of Apple Computer, Inc., registered in the U.S. and other countries.



4AA5-9226ENE, February 2017, Rev. 8