






# Chemica

HEAT TRANSFERS FOR TEXTILES



## Catalog 2024

# Heat Transfer Films

## BEST SELLERS

### QUICKFLEX REVOLUTION®

► Universal, water-based PU, quick mode or low temp application, matt finish, soft touch.

Water based PU  
 Cotton, polyester, acrylic, nylon, polyamide  
 90 µm  
 45°  
 140°C / 5 s  
 120°C / 20 s  
 Specific textiles:  
 1<sup>st</sup> press 140°C / 5 s  
 2<sup>nd</sup> press 140°C / 15 s  
 Hot or Cold  
 60°C  
 Specific textiles:  
 40°C

3601 White	3602 wGold	3603 Black	3604 Golden Yellow	3605 Orange	3606 Red	3608 Light Blue	3609 Royal Blue	3610 Dark Green	3611 Neon Yellow	3612 Navy Blue	3613 Lemon Yellow	3615 Chocolate Brown *	3619 Teal *
3623 Silver	3624 Grey	3625 Light Green	3626 Neon Orange	3628 Pink	3629 Vivid Red	3631 Neon Green	3632 Neon Pink	3636 Quartz Pink *	3641 Pastel Blue *	3642 Pastel Green *	3651 Fushia *	3655 Apple Green *	3660 Plum
3653 Raspberry *	3672 Mouse Grey	Standard : 30 cm x 5/10 m - 50 cm x 5/20 m * : only available in 50cm x 5m ■ : also available in 30cm x 20m ○ : also available in 150cm x 20m											

**STANDARD 100**  
CQ 909/2 IFTH  
**SUITABLE FOR BABIES**  
**VEGAN**  
 except 3602

### HOTMARK REVOLUTION

► Universal application, thin and semi-matt finish

PU  
 Cotton, polyester, acrylic, nylon, polyamide  
 75 µm  
 45°  
 140°C / 5 s  
 130°C / 20 s  
 Specific textiles:  
 1<sup>st</sup> press 140°C / 5 s  
 2<sup>nd</sup> press 140°C / 15 s  
 Warm peel  
 60°C  
 Specific textiles:  
 40°C

301 White	302 Gold	303 Black	304 Golden Yellow	305 Orange	306 Red	307 Burgundy	308 Light Blue	309 Royal Blue	310 Dark Green	312 Navy Blue	313 Lemon Yellow	315 Brown *	316 Purple
319 Teal *	323 Silver	324 Grey	325 Light Green	329 Vivid Red	330 Vivid Blue	340 Pastel Orange *	341 Pastel Blue	342 Pastel Green *	343 Pastel Yellow *	351 Fuchsia	352 Pearl *	353 Raspberry	355 Apple Green
359 Plum *	370 Lilac *	371 Candy Pink *	372 Midgrey	374 Mustard *	378 Satin Blue *	377 Satin Moka *	380 Opal *	311 Neon Yellow	326 Neon Orange	331 Neon Green	332 Neon Pink	375 Neon Red *	

Standard : 30 cm x 20 m - 50 cm x 5/10/20 m  
 ■ : also available in 150cm x 20m and 75cm x 20m  
 \* : only available in 50cm x 5m not available in 30cm x 20m

**STANDARD 100**  
CQ 909/3 IFTH  
 only Neon colours  
**STANDARD 100**  
CQ 909/2 IFTH  
 except 302  
**SUITABLE FOR BABIES**  
**VEGAN**

### HOTMARK

► The thinnest possible details, very easy to cut, easy to weed and to apply for great effects !

PU  
 Cotton, polyester, acrylic, polycotton  
 55 µm  
 45°  
 160°C / 20 s  
 Cold  
 80°C

401 White	402 Gold	403 Black	404 Golden Yellow *	405 Orange	406 Red	407 Burgundy	408 Light Blue	409 Royal Blue	410 Dark Green	412 Navy Blue	413 Lemon Yellow	414 Beige *	415 Brown *
416 Purple	418 Forest Green *	419 Teal *	423 Silver	424 Grey	425 Light Green	428 Pink *	429 Vivid Red	430 Vivid Blue	433 Pacific Blue *	434 Skin *	441 Pastel Blue	442 Pastel Green *	444 Pastel Pink *
450 Kaki *	451 Fuchsia	453 Raspberry	454 Caramel *	455 Apple Green	456 Tangerine *	457 Apricot *	458 Anthracite	459 Plum *	470 Lilac *	471 Candy Pink *	472 Midgrey	473 Light Gold *	484 Sun Yellow *
411 Neon Yellow	426 Neon Orange	431 Neon Green	432 Neon Pink										

Standard : 30/50 cm x 20 m - 50 cm x 5/10 m  
 ■ : also available in 150cm x 20m and 75cm x 20m  
 \* : only available in 50cm x 5m not available in 30cm x 20m

**STANDARD 100**  
CQ 909/2 IFTH  
 except 402  
**SUITABLE FOR BABIES**  
**VEGAN**

### UPPERFLOK

► Velvet touch

Viscose fibers  
 Cotton, polyester, acrylic, polycotton  
 300 µm  
 60°  
 160°C / 20 s  
 Cold  
 60°C

501 Black	502 White	503 Golden Yellow	504 Red	505 Royal Blue	506 Green	507 Orange	508 Grey	509 Magenta	510 Light Red	511 Navy Blue	512 Lemon Yellow	513 Light Blue	514 Purple *
515 Vivid Blue	517 Light Green *	518 Brown *	519 Beige *	520 Burgundy *	521 Pink *	525 Anise *	527 Kaki *	528 Dark Grey					

Standard : 50 cm x 20 m  
 \* : only available in 50cmx5m




# Heat Transfer Films

## FIRSTMARK

► Phtalate-free vinyl, bright finish.

Cotton, polyester, acrylic  
 110 µm  
 45°  
 120°C / 20 s  
 Cold  
 60°C



Standard : 50 cm x 5/20 m \_ 30 cm x 20 m  
 \*: colours available in other sizes



## WINMARK

► The ideal mix of aesthetics and performance with great prices

Cotton, polyester, acrylic  
 70 µm  
 45°  
 160°C / 10 s  
 HOT  
 40°C



Standard : 50 cm x 25 m



## Technicals

### SUBLOK NEW

Sublimated textiles

► anti-dye migration, totally opaque, soft touch, water-based PU

Cotton, polyester, acrylic  
 130 µm  
 45°  
 160°C / 20 s  
 Cold  
 60°C



Standard : 50 cm x 10 m




### HOTMARK SIR

Sublimated textiles

► Thin, anti-dye migration

Cotton, polyester, acrylic, sublimated textiles  
 100 µm  
 45°  
 150°C / 20 s  
 Cold  
 60°C



Standard : 50 cm x 10 m  
 \*: also available in 150cm x 20m, 75cm x 20m and 50cm x 20m




### ALLMARK

Nylon / Water Repellent fabrics

► For Nylon and other specific fabrics

Cotton, polyester, acrylic, nylon  
 50 µm  
 45°  
 140°C / 20 s  
 Cold  
 40°C



Standard : 50 cm x 20 m



### SUNMARK

OUTDOOR

► Outdoor application

Cotton, polyester, outdoor use  
 135 µm  
 45°  
 100°C / 20 s  
 Cold  
 Cold



Standard : 50 cm x 10/20 m \_ 150 cm x 10/20 m



### REFLEX 427

Reflective

► Certified ultra-reflective, great on sports and workwear

Cotton, polyester, acrylic  
 150 µm  
 45°  
 160°C / 20 s  
 Cold  
 60°C



Standard : 48/96 cm x 10 m





# Heat Transfer Films

## Technicals

### REFLEX 495

Reflective / Flame retardant

► Certified reflective and flame retardant

Reflective PU  
 Cotton, polyester, acrylic, polycotton  
 200 µm  
 45 °  
 1st 160°C / 3s  
 2nd 160°C / 15 s  
 Hot  
 40°C

Reflex 495 Grey  
 EN ISO 20471  
 EN 15614  
 EN 14119  
 VEGAN  
 Standard : 50 cm x 10 m

### REFLEX 497

Reflective

► Reflective Polyurethane with great prices

PU  
 Cotton, polyester, acrylic  
 110 µm  
 60 °  
 140°C / 20 s  
 Hot  
 40°C

Reflex 497 Grey  
 VEGAN  
 Standard : 50 cm x 10 m

## Decoratives

### BLING BLING STAR

► High quality glittery finish with a raised texture

PES  
 Cotton, polyester, acrylic  
 350 µm  
 60 °  
 160°C / 20 s  
 Hot or Cold  
 40°C

1120 Silver	1121 Gold	1122 Yellow Gold	1123 Red	1124 Light Blue	1125 Green	1126 Pink	1127 Orange	1128 Black	1130 Cherry	1132 Navy Blue	1133 Dark Pink	1134 Black Gold	1147 White Rainbow	
1158 Grey	1164 Lavender	1165 Burgundy	1173 Kiwi	1174 Eggplant	1175 Royal Light Blue	1176 Emerald	1178 Multi Pink	1179 Sapphire	1185 Grape	1186 Camel Beige	1187 Chocolate	1188 Gold Rose	1189 Plum	
1190 Blue Jade	1191 Lime Green	1192 Kaki Green	180°C / 20 s 30°C				1140 Neon Yellow	1141 Neon Green	1144 Neon Light Blue	1145 Neon Purple	1148 Light Pink	1149 Pearl	1181 Neon Pink	1182 Neon Orange

Standard : 30 cm x 5/20 m

OEKO TEX  
 STANDARD 100  
 CQ 909/2 IFTH  
 SUITABLE FOR BABIES  
 VEGAN

### BLING BLING MIRROR

► Mirror effect

FOIL  
 Cotton, polyester, acrylic  
 100 µm  
 60 °  
 160°C / 20 s  
 Cold  
 40°C

1430 Silver  
 1431 Gold  
 VEGAN  
 Standard : 50 cm x 25 m

### BLING BLING GLOSSY

► Flat and glossy effect

FOIL  
 Cotton, polyester, acrylic  
 360 µm  
 60 °  
 160°C / 20 s  
 Cold  
 40°C


1440 Glossy Rose Gold  
 1441 Glossy Yellow  
 1442 Glossy Skin  
 1443 Glossy Mint  
 VEGAN  
 Standard : 30 cm x 5/20 m

### BLING BLING TREND

► Trend glossy effect

FOIL  
 Cotton, polyester, acrylic  
 330 µm  
 60 °  
 160°C / 20 s  
 Warm or Cold  
 40°C

1446 Trend S Red  
 1447 Trend S Blue  
 1448 Trend F Gold  
 1449 Trend F Silver  
 1450 Trend C Red  
 VEGAN  
 Standard : 30 cm x 5/20 m




# Heat Transfer Films

## Decoratives

### METALLIC DECO

► Trendy metallic effect



Standard : 30 cm x 5/20 m




### HOLOGRAFLEX

► rainbow iridescent effects




Standard : 30 cm x 20/5 m



### METALLIC


► Metallic effect



Standard : 145 cm x 20 m \_ 48 cm x 5/10/20 m \_ 36 cm x 20 m  
\* : only available in 48 cm x 5 m

### 3D-DUOFLEX

► Bi-colour, great textured effect.




Standard : 50 cm x 10 m



### GALAXY



► Thin glittery finish



Standard : 50 cm x 5 m  
\* : colours available in other sizes

### FASHION COLLECTION

► Trendy designs




#### 3D Leather



### DARKLITE

Phosphorescent PU

► Glows in the dark !



Standard : 50 cm x 10 m

### CARBON

► 3D-carbon fibers effect



Standard : 50 cm x 10/5 m

### REFLEX DECO

Reflective

► Reflective neon colours, great effect & prices !



Standard : 50 cm x 10 m










# Printable Transfer Media

## BEST SELLERS

### EASYPRINT

Solvent / Eco-solvent / Latex

- ▶ Even with no tape, matt finish



 Cotton, polyester, acrylic, polyotton  
 160 µm
  45 °
  160°C / 20 s
  Hot
  60°C

Standard : 50/75/150 cm x 20 m











1722

### HOTMARKPRINT REVOLUTION

Solvent / Eco-solvent

- ▶ Universal film, low temp or quick mode application, thin and matt finish.



 Cotton, polyester, acrylic, nylon, polyotton  
 75 µm
  45 °
  140°C / 5s  
 120°C / 20s  
 Specific textiles: 1st press : 140°C / 5s  
 2nd press : 140°C / 15s
  Hot or Cold
  60°C  
 Specific textiles: 40°C

Standard : 50/75/150 cm x 20 m










1798

### HOTMARKPRINT

Solvent / Eco-solvent / Latex

- ▶ The thinnest printable film with matt finish



 Cotton, polyester, acrylic  
 50 µm
  45 °
  160°C / 20 s
  Hot
  60°C

Standard : 50/75/150 cm x 20 m



1792







## Sports

### HOTMARKPRINT SIR



1795

- ▶ Thin anti-dye migration barrier

Solvent / Eco-solvent / Latex



 Sublimed polyester, cotton, acrylic  
 100 µm
  45 °
  150°C / 20 s
  Hot

Standard : 50/75/150 cm x 20 m










### EASYPRINT SIR

1723

- ▶ Anti-dye migration barrier

Solvent / Eco-solvent / Latex




 Sublimed polyester, cotton, acrylic  
 190 µm
  45 °
  150°C / 20 s
  Hot
  40°C

Standard : 50/75/150 cm x 20 m



### HOTMARKPRINT NYLON 1992

► Special nylon with great colour rendering




Standard : 50/75/150 cm x 20 m



### EASYPRINT NYLON 1902

► Excellent holding on nylon



Standard : 50/75/150 cm x 20 m




### CLEARPRINT MATTE 1690

Solvent

Eco-solvent

Latex

► Transparent, for bright textile only



Standard : 50/75/150 cm x 20 m




### CLEARPRINT 1700

Solvent

Eco-solvent

► Enables complex design with transparency




Standard : 50/75/150 cm x 20 m



### GLITTERPRINT 1720



► Smooth glittery finish



Standard : 50 cm x 20 m



### METALPRINT 1780 - 1782




Standard : 48/145 cm x 10 m



### FLOKPRINT 1950

► Velvet touch




Standard : 50 cm x 10 m



### SUNMARKPRINT 1710

► Outdoor application



Standard : 50/75/150 cm x 20 m






## WINPRINT

► Cost effective printable media with a bright finish

1725



Standard : 50/100 cm x 25 m




### Sublimation inks

## FAB'TWILL®

5020

► Textile aspect



Standard : 70 cm x 10 m



### Sublimation

## FAB'TWILL® SIR

5030/5031

► Textile aspect anti-dye migration  
► Also available without PET (5031)




Standard : 70 cm x 10 m



## SUBLITEX

► Direct sublimation printing, no transfer paper needed




Standard : A4\_A3\_50/75 x 10 m  
\* Other parameters available please check technical datasheet



1603

## SUBLIFLOK

► Velvet effect



Standard : 50 cm x 10 m  
\* Other parameters available please check technical datasheet




1602

### Inkjet


## ALLJET DARK

803

► Applicable on light and dark textiles



Standard : A3



### Home heat transfer

## NEWJET

804

► Applicable on bright textiles



Standard : A3 / A4





# PRINTABLE HEAT TRANSFER MEDIA SPECIFICATIONS DATA SHEET

AVERAGE THICKNESS	BLADE 45°	FLOCK BLADE 60°	COTTON POLYESTER ACRYLIC	SPECIFIC	TEMPERATURE °C	APPLICATION	PEEL	WASHING TEMPERATURE UP TO	RECOMMENDED TAPE			
									ATT 490	ATT 500	ATT 450	ATT 495

## PRINTABLE MEDIA FOR PRINTERS USING SOLVENT / ECO-SOLVENT INKS OPAQUE PRINTABLES MEDIA

PU	HOTMARKPRINT REVOLUTION	75 µm	✓	✓	NYLON	Classic textiles Quick mode: <b>140°</b> Low temp.: <b>120°</b> Specific textiles 1st press: <b>140°</b> 2nd press: <b>140°</b>	Classic textiles Quick mode: <b>5 sec</b> Low temp.: <b>20 sec</b> Specific textiles 1st press: <b>5 sec</b> 2nd press: <b>15 sec</b>	HOT/COLD	Classic textiles 60° Specific textiles 40°				✓
PU	HOTMARKPRINT	50 µm	✓	✓		160°	20 sec	HOT	60°			✓	
VINYL	EASYPRINT	160 µm	✓	✓		160°	20 sec	HOT	60°				✓
VINYL	WINPRINT	110 µm	✓	✓		140°	20 sec	WARM & SLOWLY	40°	✓	✓	✓	✓

### TRANSLUCENT PRINTABLE MEDIA

PU	CLEARPRINT	60 µm	✓	✓		160°	20 sec	COLD	60°				
PU	CLEARPRINT MATTE	50 µm	✓	✓		160°	20 sec	COLD	40°				

### FASHION EFFECTS PRINTABLE MEDIA

PU	GLITTERPRINT	200 µm		✓	✓	180°	20 sec	HOT	40°				✓
PU	METALPRINT	85 µm	✓		✓	145°	15 sec	HOT COLD	or COLD	✓			

### SUBLIMATION BLOCK-OUT PRINTABLE MEDIA

PU	HOTMARKPRINT SIR	100 µm	✓	✓		150°	20 sec	HOT	60°	✓			
VINYL	EASYPRINT SIR	190 µm	✓	✓	SUBLIMATED POLYESTER	150°	20 sec	HOT	40°				✓

### NYLON SPECIFIC PRINTABLE MEDIA

PU	HOTMARKPRINT NYLON	50 µm	✓	✓	COATED NYLON	140°	20 sec	HOT	40°	✓			
VINYL	EASYPRINT NYLON	160 µm	✓	✓	COATED NYLON	140°	20 sec	WARM & SLOWLY	40°				✓

### FLOCK PRINTABLE MEDIA

VINYL	FLOKPRINT			✓	✓	160°	20 sec	HOT	40°		✓		
-------	-----------	--	--	---	---	------	--------	-----	-----	--	---	--	--

### PRINTABLE MEDIA FOR OUTDOOR USE

VINYL	SUNMARKPRINT	160 µm	✓		AWNINGS OUTDOOR SUPPORTS	100°	20 sec	HOT	✗				✓
-------	--------------	--------	---	--	--------------------------	------	--------	-----	---	--	--	--	---

### PRINTABLE MEDIA FOR SUBLIMATION PRINTING

P	SUBLITEX	200 µm		✓	✓	170°	50 sec		60°				
FIBERS	SUBLIFLOK	N/D		✓	✓	170°	50 sec		60°				
PU	FAB'TWILL®	190 µm	<i>Lasercut</i>		✓	160°	20 sec	COLD	40°/60°				
PU	FAB'TWILL® SIR	230 µm	<i>Lasercut</i>			160°	20 sec	COLD	40°/60°				

### PRINTABLE MEDIA FOR INKJET PRINTERS

FILM	ALLJET DARK	105-110 µm			✓	160°	20 sec	COLD	40°				
FILM	NEWJET	85 µm			✓	160°	20 sec	COLD	40°				

Handwash only  
Lavage à la main uniquement

✗ Not recommended  
Non recommandé

Polyuréthane

White Polyester Textile

## ATT490

Low Tack

▶ Honeycomb backing

 Standard 50/75 cm x 25m

## ATT495

Strong Tack

▶ Universal tape with smooth backing

 Standard 50/75 cm x 25 m

## ATT450

Low / Medium Tack

▶ Honeycomb backing


 Standard 50/75 cm x 25m

## ATT500

Medium Tack

▶ Without backing, adapted to a laminator use

 Standard 50 cm x 25 m



# DTF PET

## PET DTF

▶ 5900

 Standard 30/60 cm x 100 m



# Accessories

## HOOK 8901

▶ Stainless steel pick with an ultra-fine tip for precision weeding.

## TWEEZER - 8902

▶ Stainless steel tweezer for easy weeding.

## SQUEEGEE - 8903

▶ Accessory driving air bubbles out when applying tape on printable media.

All our application guidelines are available on our technical datasheets on [www.chemica.fr](http://www.chemica.fr)

# Chemica

HEAT TRANSFERS FOR TEXTILES

## WHO WE ARE

  
**EXPERTS**  
**40 years**  
of heat transfer expertise



**WORLDWIDE**  
Acting in more than 80 countries



**SPECIFIC DEMAND**  
All your demands may be studied, do not hesitate to contact our salesteam !



**QUALITY**  
Compliance with the most demanding standards  
**Very high quality products**



**AVAILABILITY**  
Products available **on stock**

**TEAM**  
50 people  
Strong customer-oriented team

**NEW**

Chemica Craft

